



AgroVit® AfterCalving

MOSEGÅRDEN A/S

AgroVit® AfterCalving

Renewed energy after calving the best start of the lactation

Before calving...

... the cow is exposed to hormonal alterations which prepares the cow for calving and lactation. As is well-known, the cow starts mobilizing calcium and if this process does not work optimally the cow catches a milk fever

During 24 hours before calving the feed and water intake are reduced significantly, which among others result in a low blood sugar, dehydration and lack of nutrient salts. As a consequence the cow may appear "discouraged"

Right after calving...

...the cow is offered a single dose of **AgroVit® AfterCalving** immediately after calving to the extent possible, so that the cow can recover again quickly after the strain. The newly calved cow's interest in **AgroVit® AfterCalving** is highest immediately after calving, due to the unique combination of raw materials and flavors.


Due to the high energy and vitamin content and the content of "appetisers" in **AgroVit® AfterCalving**, the cow will be more active, increase its appetite and is thus helped getting over the first critical hours so that the start of the lactation will be best possible.

A high content of easily accessible calcium helps the cow supplement its calcium supply so that the risk of milk fever is reduced.



If the cow drinks 30-40 l hot water, the risk of dislocation of the abomasums immediately after calving can be reduced.

In practice, the effects of **AgroVit® AfterCalving** also promotes the prevention of retained placenta in a positive way





Instructions for use:

Right after calving 1 kg **AgroVit® AfterCalving** is stirred into 10 litres approx. 50 degrees C hot water, which is diluted with cold water to a total of 20 litres approx. 35 degrees C and is given to the cow immediately after calving.

When the 20 litres of **AgroVit® AfterCalving** is drunk, the cow is normally still thirsty and should be offered at least 20 litres of lukewarm water to satisfy its appetite.

The taste of **AgroVit® AfterCalving** is unique, and normally it is only necessary to give it once right after calving. If the cow continuously is very "discouraged", the treatment can be continued with one dose daily for 2-3 days

Composition:

Dextrose, Whey powder, Calcium carbonate, Sodium chloride, Wheat, Sodium Bicarbonate, Monopotassium Phosphate, Vegetable oils and fats

Specifikationer:

Crude protein 6.0%, Crude fats and oils 4.5%, Crude fibre 0.1%, Crude Ash 28.0%, Calcium 4.4%, Sodium 4.7%

Additives per kg:

Vitamin A 840.000 IU, Vitamin D3 18,000 IU, Vitamin E RRR-alpha-tocopherol acetate 2,700 IU, Vitamin E DL-alpha-tocopherol acetate 2,700 IU. Ferrous chelate of amino acids 200 mg, manganous sulphate 130 mg, manganese chelate of amino acids 60 mg, zinc chelate of amino acids 500 mg, Calcium iodate 20 mg, Sodium selenite 1,4 mg, Selenium-Se (organic selenium) 0,6 mg, β -Carotene 200 mg



Packaging:

Bags with 16 kg

Storage:

Store in a cool, dark and dry place.
Close the bag after use

Durability:

12 months after production



Contact Mosegården

Phone: +45 9786 1966

Fax: +45 9786 1446

post@mosegarden.dk

Lars Frøkjær

Product Consultant, cattle

+45 2068 1966

lf@mosegarden.dk

Erling Mikkelsen

Product Consultant, cattle

+45 2217 2040

em@mosegarden.dk